

ACI MATERIALS JOURNAL

INDEX VOLUME 94, 1997

From a Journal of the American Concrete Institute, January through December 1997

progress through knowledge



AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

Remove this section and include it with your January through December 1997 Volume 94 issues of the *ACI Materials Journal*.

A

- Abu-Tair, A.**—Heat cycling of epoxy mortar repaired beams (94-M15) Mar.-Apr. 1997 129
- Abu-Zaid, M.**—Truck and central mixing mechanisms in Saudi Arabia: A critical evaluation (94-M1) Jan.-Feb. 1997 3
- Admixtures**—Use of viscosity-modifying admixture to enhance stability of fluid concrete (94-M40) July-Aug. 1997 332
- Aggregate bond and modulus of elasticity of concrete (94-M9)**
—Neville, A. M. V. 94 Jan.-Feb. 1997, p. 71
—Disc. by David Darwin Nov.-Dec. 1997 612
- Aggregates**
—Aggregate bond and modulus of elasticity of concrete (94-M9) Jan.-Feb. 1997 71
—Effect of confinement on siliceous aggregate concrete subjected to elevated temperature and cyclic heating (94-M10) Mar.-Apr. 1997 83
—Influence of aggregate on the compressive strength of normal and high-strength concrete (94-M49) Sept.-Oct. 1997 417
—Packing of aggregates: An alternative tool to determine the optimal aggregate mix (94-M51) Sept.-Oct. 1997 435
—Use of reclaimed asphalt pavement as an aggregate in portland cement concrete (94-M29) May-June 1997 251
- Ahmad, S.**—Experimental service life prediction of rebar-corroded reinforced concrete structure (94-M37) July-Aug. 1997 311
- Air voids**—Volume fraction of protected paste and mean spacing of air voids (94-M66) Nov.-Dec. 1997 588
- Aitcin, P.-C.**
—Influence of ambient and fresh concrete temperatures on the maximum temperature and thermal gradient in a high-performance concrete structure (94-M12) Mar.-Apr. 1997 102
—Mechanical properties and durability of two industrial reactive powder concretes (94-M33) July-Aug. 1997 286
- Alkali-silica reaction**—Alkali-silica reaction, part I: Use of the double-layer theory to explain the behavior of reaction-product gels (94-M2) Jan.-Feb. 1997 10
- Al-Khaiat, H.**—Carbonation of some coastal concrete structures in Kuwait (94-M68) Nov.-Dec. 1997 602
- Alsayed, S. H.**—Sensitivity of compressive strength of HSC to hot-dry climate, curing regimes, and additives (94-M53) Nov.-Dec. 1997 472
- Andrade, C.**—Effect of crack control in mortars containing polypropylene fibers on the corrosion of steel in a cementitious matrix (94-M16) Mar.-Apr. 1997 134
- Arafah, A.**—Truck and central mixing mechanisms in Saudi Arabia: A critical evaluation (94-M1) Jan.-Feb. 1997 3
- Armelin, H. S.**—Predicting the flexural postcracking performance of steel fiber reinforced concrete from the pullout of single fibers (94-M3) Jan.-Feb. 1997 18
- Asphalt pavement**—Use of reclaimed asphalt pavement as an aggregate in portland cement concrete (94-M29) May-June 1997 251
- Aswad, A.**—Statistics of high-strength concrete cylinders (94-M43) Sept.-Oct. 1997 361
- Attigbo, E. K.**—Volume fraction of protected paste and mean spacing of air voids (94-M66) Nov.-Dec. 1997 588
- Ayotte, E.**—Modeling the thermal stresses at early ages in a concrete monolith (94-M65) Nov.-Dec. 1997 577
- Azad, A. K.**—Determination of the effect chloride diffusion coefficient in concrete via a gas diffusion technique (94-M26) May-June 1997 227

B

- Baker, M.**—Assessing quality of concrete with wave propagation techniques (94-M35) July-Aug. 1997 296
- Baldock, B.**—Study of corrosion inhibitor performance in chloride contaminated concrete by electrochemical impedance spectroscopy (94-M46) Sept.-Oct. 1997 385
- Banthia, N.**—Predicting the flexural postcracking performance of steel fiber reinforced concrete from the pullout of single fibers (94-M3) Jan.-Feb. 1997 18
- Bars**—Study on allowable coating damage of epoxy-coated reinforcing bars (94-M31) July-Aug. 1997 267
- Bars—Reinforcing**
—Bond strength of reinforcing bars in reinforced shotcrete (94-M13) Mar.-Apr. 1997 111
—Effect of fibers on development/splice strength of reinforcing bars in tension (94-M38) July-Aug. 1997 317
- Bastien, J.**—Cement grout containing precipitated silica and superplasticizers for post-tensioning (94-M34) July-Aug. 1997 291
- Beams**
—Can steel fibers replace transverse reinforcements in reinforced concrete beams? (94-M41) Sept.-Oct. 1997 341
—Heat cycling of epoxy mortar repaired beams (94-M15) Mar.-Apr. 1997 129
—Use of composite testing for evaluation of keyway grout for precast prestressed bridge beams (94-M28) May-June 1997 244
- Bearing systems**—Fourth world congress on joint sealing and bearing systems for concrete structures—Symposium abstract, SP-164 (94-AB) Mar.-Apr. 1997 174
- Beaudoin, J. J.**
—Effect of different zeolites on conversion-prevention in high-alumina cement products (94-M25) May-June 1997 220
—Study of corrosion inhibitor performance in chloride contaminated concrete by electrochemical impedance spectroscopy (94-M46) Sept.-Oct. 1997 385
—Temperature dependence of compressive strength of conversion-inhibited high alumina cement concrete (94-M61) Nov.-Dec. 1997 540
- Bello, A.**—Influence of aggregate on the compressive strength of normal and high-strength concrete (94-M49) Sept.-Oct. 1997 417
- Bentur, A.**—Effect of crack control in mortars containing polypropylene fibers on the corrosion of steel in a cementitious matrix (94-M16) Mar.-Apr. 1997 134
- Bhandarkar, V.**—Detection of sub-surface anomalies in concrete bridge decks using ground penetrating radar (94-M47) Sept.-Oct. 1997 396
- Bhattacharjee, B.**—Experimental service life prediction of rebar-corroded reinforced concrete structure (94-M37) July-Aug. 1997 311
- Blast-furnace slag**—Freeze-thaw and freeze-deicing salt resistance of concretes containing cement rich in granulated blast furnace slag (94-M6) Jan.-Feb. 1997 47
- Boisvert, J.**—Deicer salt scaling resistance of roller-compacted concrete pavements (94-M20) Mar.-Apr. 1997 164
- Bond**
—Aggregate bond and modulus of elasticity of concrete (94-M9) Jan.-Feb. 1997 71
—Bond strength and contact electrical resistivity between cement and stainless steel fiber: Their correlation and dependence on fiber surface treatment and curing age (94-M23) May-June 1997 203
—Bond strength of reinforcing bars in reinforced shotcrete (94-M13) Mar.-Apr. 1997 111
- Bonded plates**—Repair and strengthening of concrete members with adhesive bonded plates—Symposium abstract, SP-165 (94-AB) Mar.-Apr. 1997 175
- Bonneau, O.**—Mechanical properties and durability of two industrial reactive powder concretes (94-M33) July-Aug. 1997 286
- Bridge decks**—Detection of sub-surface anomalies in concrete bridge decks using ground penetrating radar (94-M47) Sept.-Oct. 1997 396
- Bridges**—Detection of sub-surface anomalies in concrete bridge decks using ground penetrating radar (94-M47) Sept.-Oct. 1997 396

Brousseau, R. J.

- Proprietary and carbon fiber modified overlays in the cathodic protection of reinforced concrete (94-M36) July-Aug. 1997 306
- Study of corrosion inhibitor performance in chloride contaminated concrete by electrochemical impedance spectroscopy (94-M46) Sept.-Oct. 1997 385
- Bucholtz, J.**—Properties of high-calcium dry bottom ash concrete (94-M11) Mar.-Apr. 1997 90
- Burley, E.**—Heat cycling of epoxy mortar repaired beams (94-M15) Mar.-Apr. 1997 129
- Bush, T. D.**—Influence of field variables on laboratory performance of silane-treated concrete (94-M22) May-June 1997 193

C

- Carbonation**—Carbonation of some coastal concrete structures in Kuwait (94-M68) Nov.-Dec. 1997 602
- Casanova, P.**—Can steel fibers replace transverse reinforcements in reinforced concrete beams? (94-M41) Sept.-Oct. 1997 341
- Cathodic protection**—Proprietary and carbon fiber modified overlays in the cathodic protection of reinforced concrete (94-M36) July-Aug. 1997 306
- Cements**
 - Effect of different zeolites on conversion-prevention in high-alumina cement products (94-M25) May-June 1997 220
 - Microstructural and mechanical effects of latex, methylcellulose, and silica fume on carbon fiber reinforced cement (94-M18) Mar.-Apr. 1997 147
- Cement—Fiber reinforced**—Microstructural and mechanical effects of latex, methylcellulose, and silica fume on carbon fiber reinforced cement (94-M18) Mar.-Apr. 1997 147
- Cement matrix materials**—Prediction method for long-term chloride concentration profiles in hardened cement matrix materials (94-M64) Nov.-Dec. 1997 565
- Cement pastes**—Volume fraction of protected paste and mean spacing of air voids (94-M66) Nov.-Dec. 1997 588
- Champa, J. T.**—Use of composite testing for evaluation of keyway grout for precast prestressed bridge beams (94-M28) May-June 1997 244
- Chanvillard G.**—Concrete strength estimation at early ages: Modification of the method of equivalent age (94-M59) Nov.-Dec. 1997 520
- Chen, H.-L. (R.)**—Detection of sub-surface anomalies in concrete bridge decks using ground penetrating radar (94-M47) Sept.-Oct. 1997 396
- Chen, P.-W.**—Microstructural and mechanical effects of latex, methylcellulose, and silica fume on carbon fiber reinforced cement (94-M18) Mar.-Apr. 1997 147
- Chin, M. S.**—Effects of shape, size, and casting direction of specimens on stress-strain curves of high-strength concrete (94-M24) May-June 1997 209
- Chlorides**
 - Determination of the effect chloride diffusion coefficient in concrete via a gas diffusion technique (94-M26) May-June 1997 227
 - Laboratory studies and calculations on the influence of crack width on chloride-induced corrosion of steel in concrete (94-M7) Jan.-Feb. 1997 56
 - Prediction method for long-term chloride concentration profiles in hardened cement matrix materials (94-M64) Nov.-Dec. 1997 565
- Chung, D. D. L.**
 - Bond strength and contact electrical resistivity between cement and stainless steel fiber: Their correlation and dependence on fiber surface treatment and curing age (94-M23) May-June 1997 203
 - Microstructural and mechanical effects of latex, methylcellulose, and silica fume on carbon fiber reinforced cement (94-M18) Mar.-Apr. 1997 147
- Claux, F.**—New rheometer for soft-to-fluid fresh concrete (94-M27) May-June 1997 234
- Coatings**—Study on allowable coating damage of epoxy-coated reinforcing bars (94-M31) July-Aug. 1997 267
- Committee**
 - 104—ACI 104-71, rev. 1982, reapp. 1987, Preparation of notation for concrete, proposed reapproval 341
 - 211
 - ACI 211.1-91, Standard practice for selecting proportions for normal, heavyweight, and mass concrete, proposed reapproval 341
 - ACI 211.3-75, rev. 1987, reapp. 1992, Standard practice for selecting proportions for no-slump concrete, proposed withdrawal 341
 - 214—ACI 214-77, reapp. 1989, Recommended practice for evaluation of test results of concrete, proposed reapproval 341
 - 308—ACI 308-92, Standard practice for curing concrete, proposed reapproval 341
 - 318—Code case 318-83/001(90), reapp. 1993, reinstatement effective March 11, 1997 341
 - 346—ACI 346-90, Standard specifications for cast-in-place nonreinforced concrete pipe, proposed reapproval 341
 - 503
 - ACI 503.1-92, Standard specifications for bonding hardened concrete, steel, wood, brick, and other materials to hardened concrete with a multi-component epoxy adhesive, proposed reapproval 341
 - ACI 503.2-92, Standard specifications for bonding plastic concrete to hardened concrete with a multi-component epoxy adhesive, proposed reapproval 341
 - ACI 503.3-92, Standard specifications for producing a skid-resistant surface on concrete by the use of a multi-component epoxy system, proposed reapproval 341
 - ACI 503.4-92, Standard specifications for repairing concrete with epoxy mortars, proposed reapproval 341
 - 530
 - Code case 530-88/001(90), reinstatement effective March 11, 1997 341
 - Code case 530.1-88/001(90), reinstatement effective March 11, 1997 341
 - Code case 530-92/001(93), reinstatement effective March 11, 1997 341
 - Code case 530-92/002(94), will not expire in November 1997 as previously announced 341
- Comparative study of concretes reinforced with carbon, polyethylene, and steel fibers and their improvement by latex addition (93-M15)**
 - Pu-Woei Chen and D. D. L. Chung V. 93 Mar.-Apr. 1996, p. 129
 - Disc. by D. Gerry Walters Jan.-Feb. 1997 75
- Composites**
 - High performance multimodal fiber reinforced cement composites (HPMFRCC): The LCPC experience (94-M54) Nov.-Dec. 1997 478
 - Mechanical properties of PVA fiber reinforced cement composites fabricated by extrusion processing (94-M63) Nov.-Dec. 1997 555
- Composite testing**—Use of composite testing for evaluation of keyway grout for precast prestressed bridge beams (94-M28) May-June 1997 244
- Compressive strength**—Bifurcation in compressive behavior of concrete (94-M55) Nov.-Dec. 1997 484
- Concrete**
 - Concrete attack by feed acids: Accelerated tests to compare different concrete compositions and technologies (94-M62) Nov.-Dec. 1997 546
 - Concreting workmanship and its influence on serviceability reliability (94-M57) Nov.-Dec. 1997 501
 - Determination of the effect chloride diffusion coefficient in concrete via a gas diffusion technique (94-M26) May-June 1997 227
 - Effect of welan gum-high-range water reducer combinations on rheology of cement grout (94-M44) Sept.-Oct. 1997 365
 - Experimental investigation of multiaxial compressive strength of concrete under different stress paths (94-M50) Sept.-Oct. 1997 427
 - Influence of fly ash on setting and hardening characteristics of concrete systems (94-M42) Sept.-Oct. 1997 355
 - Laboratory studies and calculations on the influence of crack width on chloride-induced corrosion of steel in concrete (94-M7) Jan.-Feb. 1997 56
 - Modeling the thermal stresses at early ages in a concrete monolith (94-M65) Nov.-Dec. 1997 577
 - Scaling resistance of concrete paving block surface exposed to deicing chemicals (94-M4) Jan.-Feb. 1997 32
 - Soil physics principles validated for use in predicting unsaturated moisture movement in portland cement concrete (94-M8) Jan.-Feb. 1997 63
 - Statistics of high-strength concrete cylinders (94-M43) Sept.-Oct. 1997 361
 - Temperature dependence of compressive strength of conversion-inhibited high alumina cement concrete (94-M61) Nov.-Dec. 1997 540
 - Tensile behavior of slurry infiltrated mat concrete (SIMCON) (94-M5) Jan.-Feb. 1997 39
 - Use of blended silica fume cement in commercial concrete mixtures (94-M21) May-June 1997 183
 - Use of viscosity-modifying admixture to enhance stability of fluid concrete (94-M40) July-Aug. 1997 332
- Concrete—Compressive behavior**—Bifurcation in compressive behavior of concrete (94-M55) Nov.-Dec. 1997 484

Concrete construction

- Concreting workmanship and its influence on serviceability reliability (94-M57) Nov.-Dec. 1997 501
- Truck and central mixing mechanisms in Saudi Arabia: A critical evaluation (94-M11) Jan.-Feb. 1997 3

Concrete development—Concrete and sustainable development

- (94-M48) Sept.-Oct. 1997 409

Concrete—Fiber-reinforced

- Can steel fibers replace transverse reinforcements in reinforced concrete beams? (94-M41) Sept.-Oct. 1997 341
- Effect of crack control in mortars containing polypropylene fibers on the corrosion of steel in a cementitious matrix (94-M16) Mar.-Apr. 1997 134
- Effect of fibers on development/splice strength of reinforcing bars in tension (94-M38) July-Aug. 1997 317
- High performance multimodal fiber reinforced cement composites (HPMFRCC): The LCPC experience (94-M54) Nov.-Dec. 1997 478
- Influence of concrete and fiber characteristics on behavior of steel fiber reinforced concrete under direct shear (94-M67) Nov.-Dec. 1997 592
- Low-cycle fatigue of plain and fiber-reinforced concrete (94-M32) July-Aug. 1997 273
- Mechanical properties of PVA fiber reinforced cement composites fabricated by extrusion processing (94-M63) Nov.-Dec. 1997 555
- Predicting the flexural postcracking performance of steel fiber reinforced concrete from the pullout of single fibers (94-M3) Jan.-Feb. 1997 18

Concrete—Fresh

- Effect of gypsum-hemihydrate ratio in cement on rheological properties of fresh concrete (94-M17) Mar.-Apr. 1997 142
- New rheometer for soft-to-fluid fresh concrete (94-M27) May-June 1997 234

Concrete—Hardening—Influence of fly ash on setting and hardening characteristics of concrete systems

- (94-M42) Sept.-Oct. 1997 355

Concrete—High-performance

- High performance multimodal fiber reinforced cement composites (HPMFRCC): The LCPC experience (94-M54) Nov.-Dec. 1997 478
- Influence of ambient and fresh concrete temperatures on the maximum temperature and thermal gradient in a high-performance concrete structure (94-M12) Mar.-Apr. 1997 102

Concrete—High-strength

- Creep, shrinkage, and thermal strains in normal, medium, and high-strength concretes during hydration (94-M19) Mar.-Apr. 1997 156
- Effects of shape, size, and casting direction of specimens on stress-strain curves of high-strength concrete (94-M24) May-June 1997 209
- Influence of aggregate on the compressive strength of normal and high-strength concrete (94-M49) Sept.-Oct. 1997 417
- Sensitivity of compressive strength of HSC to hot-dry climate, curing regimes, and additives (94-M53) Nov.-Dec. 1997 472
- Statistics of high-strength concrete cylinders (94-M43) Sept.-Oct. 1997 361

Concrete—Portland cement—Soil physics principles validated for use in predicting unsaturated moisture movement in

- portland cement concrete (94-M8) Jan.-Feb. 1997 63

Concrete—Powder—Mechanical properties and durability of two industrial reactive powder concretes

- (94-M33) July-Aug. 1997 286

Concrete—Properties

- Mechanical properties of concrete in uniaxial compression (94-M52) Nov.-Dec. 1997 457
- Properties of high-calcium dry bottom ash concrete (94-M11) Mar.-Apr. 1997 90

Concrete—Reinforced

- Acoustic emission monitoring as a nondestructive testing technique in reinforced concrete (94-M58) Nov.-Dec. 1997 510
- Experimental service life prediction of rebar-corroded reinforced concrete structure (94-M37) July-Aug. 1997 311
- Micromechanical tensile behavior of slurry infiltrated continuous-fiber-mat reinforced concrete (SIMCON) (94-M45) Sept.-Oct. 1997 373
- Proprietary and carbon fiber modified overlays in the cathodic protection of reinforced concrete (94-M36) July-Aug. 1997 306

Concrete—Roller-compacted—Deicer salt scaling resistance of roller-compacted concrete pavements

- (94-M20) Mar.-Apr. 1997 164

Concrete—Self-consolidating—In situ mechanical properties

- of wall elements cast using self-consolidating concrete (94-M56) Nov.-Dec. 1997 491

Concrete—Strength—Concrete strength estimation at early ages:

- Modification of the method of equivalent age (94-M59) Nov.-Dec. 1997 520

Concrete—Temperature—Influence of ambient and fresh concrete

- temperatures on the maximum temperature and thermal gradient in a high-performance concrete structure (94-M12) Mar.-Apr. 1997 102

Concrete—Treated—Influence of field variables on laboratory performance

- of silane-treated concrete (94-M22) May-June 1997 193

Concrete—Use of polymers—Properties and uses of polymers in concrete—Symposium abstract, SP-166 (94-AB) Mar.-Apr. 1997 176

Concrete—Water permeability—Methods for the determination of water permeability of concrete

- (94-M30) May-June 1997 257

Confinement—Effect of confinement on siliceous aggregate

- concrete subjected to elevated temperature and cyclic heating (94-M10) Mar.-Apr. 1997 83

Construction equipment—Truck and central mixing mechanisms in

- Saudi Arabia: A critical evaluation (94-M1) Jan.-Feb. 1997 3

Cook, W. D.—Creep, shrinkage, and thermal strains in normal,

- medium, and high-strength concretes during hydration (94-M19) Mar.-Apr. 1997 156

Corrosion

- Experimental service life prediction of rebar-corroded reinforced concrete structure (94-M37) July-Aug. 1997 311
- Laboratory studies and calculations on the influence of crack width on chloride-induced corrosion of steel in concrete (94-M7) Jan.-Feb. 1997 56
- Study of corrosion inhibitor performance in chloride contaminated concrete by electrochemical impedance spectroscopy (94-M46) Sept.-Oct. 1997 385

Cracking—Effect of crack control in mortars containing polypropylene fibers on the corrosion of steel in a cementitious matrix

- (94-M16) Mar.-Apr. 1997 134

Crack width—Laboratory studies and calculations on the

- influence of crack width on chloride-induced corrosion of steel in concrete (94-M7) Jan.-Feb. 1997 56

Crain, K.—Assessing quality of concrete with wave propagation techniques

- (94-M35) July-Aug. 1997 296

Creep—Creep, shrinkage, and thermal strains in normal, medium, and high strength concretes during hydration

- (94-M19) Mar.-Apr. 1997 156

Curing

- Bond strength and contact electrical resistivity between cement and stainless steel fiber: Their correlation and dependence on fiber surface treatment and curing age (94-M23) May-June 1997 203
- Thermal effects during the curing of concrete pavements (94-M14) Mar.-Apr. 1997 119

Cyclic heating—Effect of confinement on siliceous aggregate

- concrete subjected to elevated temperature and cyclic heating (94-M10) Mar.-Apr. 1997 83

D

Dallaire, É.—Mechanical properties and durability of two industrial reactive powder concretes

- (94-M33) July-Aug. 1997 286

D'Aloia, L.—Concrete strength estimation at early ages: Modification

- of the method of equivalent age (94-M59) Nov.-Dec. 1997 520

De Belie, N.—Concrete attack by feed acids: Accelerated

- tests to compare different concrete compositions and technologies (94-M62) Nov.-Dec. 1997 546

De Blaeere, B.—Concrete attack by feed acids: Accelerated

- tests to compare different concrete compositions and technologies (94-M62) Nov.-Dec. 1997 546

Debruyckere, M.—Concrete attack by feed acids: Accelerated

- tests to compare different concrete compositions and technologies (94-M62) Nov.-Dec. 1997 546

Deicing chemicals—Scaling resistance of concrete paving block

- surface exposed to deicing chemicals (94-M4) Jan.-Feb. 1997 32

Delagrave, A.—Deicer salt scaling resistance of roller-compacted

- concrete pavements (94-M20) Mar.-Apr. 1997 164

De Larrard, F.

- Influence of aggregate on the compressive strength of normal and high-strength concrete (94-M49) Sept.-Oct. 1997 417

—New rheometer for soft-to-fluid fresh concrete

- (94-M27) May-June 1997 234

Delwar, M.—Use of reclaimed asphalt pavement as an aggregate

- in portland cement concrete (94-M29) May-June 1997 251

Derkx, F.—New rheometer for soft-to-fluid fresh concrete

- (94-M27) May-June 1997 234

Diffusion—Determination of the effect chloride diffusion coefficient

- in concrete via a gas diffusion technique (94-M26) May-June 1997 227

Ding, J.

- Effect of different zeolites on conversion-prevention in high-alumina cement products (94-M25) May-June 1997 220

—Temperature dependence of compressive strength of conversion-inhibited high alumina cement concrete (94-M61) Nov.-Dec. 1997	540
Double-layer theory —The alkali-silica reaction, part I: Use of the double-layer theory to explain the behavior of reaction-product gels (94-M2) Jan.-Feb. 1997	10
Dugat, J.	
—Cement grout containing precipitated silica and superplasticizers for post-tensioning (94-M34) July-Aug. 1997	291
—Mechanical properties and durability of two industrial reactive powder concretes (94-M33) July-Aug. 1997	286
Durability	
—Deicer salt scaling resistance of roller-compacted concrete pavements (94-M20) Mar.-Apr. 1997	164
—Comparison of freezing and thawing durability of non-air entrained concrete pavers under ASTM C 67 and ASTM C 666 (94-M39) July-Aug. 1997	325
—Mechanical properties and durability of two industrial reactive powder concretes (94-M33) July-Aug. 1997	286
—Tensile behavior of slurry infiltrated mat concrete (SIMCON) (94-M5) Jan.-Feb. 1997	39
Durability—Freeze-thaw —Comparison of freezing and thawing durability of non-air entrained concrete pavers under ASTM C 67 and ASTM C 666 (94-M39) July-Aug. 1997	325

E

Effect of latex on the mechanical properties of carbon fiber reinforced cement (93-M20)	
—Kamel Zayat and Ziad Bayasi V. 93 Mar.-Apr. 1996, p. 178	
—Disc. by D. Gerry Walters Jan.-Feb. 1997	76
Elasticity —Aggregate bond and modulus of elasticity of concrete (94-M9) Jan.-Feb. 1997	71
Elliott, S. —Study of corrosion inhibitor performance in chloride contaminated concrete by electrochemical impedance spectroscopy (94-M46) Sept.-Oct. 1997	385
Emission monitoring —Acoustic emission monitoring as a nondestructive testing technique in reinforced concrete (94-M58) Nov.-Dec. 1997	510
Experimental study of plain concrete under triaxial stress (94-M67)	
—Imran, I. and Pantazopoulou, S. J. V. 94 Nov.-Dec. 1996, p. 589	
—Disc. by Ranga Palaniswamy and S. P. Shah Nov.-Dec. 1997	608
Extrusion —Mechanical properties of PVA fiber reinforced cement composites fabricated by extrusion processing (94-M63) Nov.-Dec. 1997	555

F

Fahmy, M. —Use of reclaimed asphalt pavement as an aggregate in portland cement concrete (94-M29) May-June 1997	251
Falkowsky, J. —Thermal effects during the curing of concrete pavements (94-M14) Mar.-Apr. 1997	119
Fatigue —Low-cycle fatigue of plain and fiber-reinforced concrete (94-M32) July-Aug. 1997	273
Field variables —Influence of field variables on laboratory performance of silane-treated concrete (94-M22) May-June 1997	193
Flexure —Predicting the flexural postcracking performance of steel fiber reinforced concrete from the pullout of single fibers (94-M3) Jan.-Feb. 1997	18
Fourth world congress on joint sealing and bearing systems for concrete structures —Symposium abstract, SP-164 (94-AB) Mar.-Apr. 1997	174
Freezing and thawing —Freeze-thaw and freeze-deicing salt resistance of concretes containing cement rich in granulated blast furnace slag (94-M6) Jan.-Feb. 1997	47
Fu, X.	
—Bond strength and contact electrical resistivity between cement and stainless steel fiber: Their correlation and dependence on fiber surface treatment and curing age (94-M23) May-June 1997	203
—Microstructural and mechanical effects of latex, methylcellulose, and silica fume on carbon fiber reinforced cement (94-M18) Mar.-Apr. 1997	147
Fu, Y.	
—Effect of different zeolites on conversion-prevention in high-alumina cement products (94-M25) May-June 1997	220
—Temperature dependence of compressive strength of conversion-inhibited high alumina cement concrete (94-M61) Nov.-Dec. 1997	540

G

Gels —Alkali-silica reaction, part I: Use of the double-layer theory to explain the behavior of reaction-product gels (94-M2) Jan.-Feb. 1997	10
Ghafoori, N.	
—Comparison of freezing and thawing durability of non-air entrained concrete pavers under ASTM C 67 and ASTM C 666 (94-M39) July-Aug. 1997	325
—Properties of high-calcium dry bottom ash concrete (94-M11) Mar.-Apr. 1997	90
—Scaling resistance of concrete paving block surface exposed to deicing chemicals (94-M4) Jan.-Feb. 1997	32
Ghio, V. A. —Bond strength of reinforcing bars in reinforced shotcrete (94-M13) Mar.-Apr. 1997	111
Gjoerv, O. E. —Effect of gypsum-hemihydrate ratio in cement on rheological properties of fresh concrete (94-M17) Mar.-Apr. 1997	142
Gocevski, V. —Modeling the thermal stresses at early ages in a concrete monolith (94-M65) Nov.-Dec. 1997	577
Goltermann, P. —Packing of aggregates: An alternative tool to determine the optimal aggregate mix (94-M51) Sept.-Oct. 1997	435
Grout	
—Cement grout containing precipitated silica and superplasticizers for post-tensioning (94-M34) July-Aug. 1997	291
—Effect of welan gum-high-range water reducer combinations on rheology of cement grout (94-M44) Sept.-Oct. 1997	365
Grout bridges —Use of composite testing for evaluation of keyway grout for precast prestressed bridge beams (94-M28) May-June 1997	244
Guizani, Z. —Use of viscosity-modifying admixture to enhance stability of fluid concrete (94-M40) July-Aug. 1997	332
Gulyas, R. J. —Use of composite testing for evaluation of keyway grout for precast prestressed bridge beams (94-M28) May-June 1997	244
Guo, Z. —Experimental investigation of multiaxial compressive strength of concrete under different stress paths (94-M50) Sept.-Oct. 1997	427
Gu, P. —Study of corrosion inhibitor performance in chloride contaminated concrete by electrochemical impedance spectroscopy (94-M46) Sept.-Oct. 1997	385
Gypsum —Effect of gypsum-hemihydrate ratio in cement on rheological properties of fresh concrete (94-M17) Mar.-Apr. 1997	142

H

Halabe, U. B. —Detection of sub-surface anomalies in concrete bridge decks using ground penetrating radar (94-M47) Sept.-Oct. 1997	396
Hamoush, S. A. —Effect of confinement on siliceous aggregate concrete subjected to elevated temperature and cyclic heating (94-M10) Mar.-Apr. 1997	83
Haque, M. N. —Carbonation of some coastal concrete structures in Kuwait (94-M68) Nov.-Dec. 1997	602
Harajli, M. —Effect of fibers on development/splice strength of reinforcing bars in tension (94-M38) July-Aug. 1997	317
Havard, J. —Effect of gypsum-hemihydrate ratio in cement on rheological properties of fresh concrete (94-M17) Mar.-Apr. 1997	142
Hearn, S. W. —Acoustic emission monitoring as a nondestructive testing technique in reinforced concrete (94-M58) Nov.-Dec. 1997	510
Heat cycling —Heat cycling of epoxy mortar repaired beams (94-M15) Mar.-Apr. 1997	129
Houde, J. —Modeling the thermal stresses at early ages in a concrete monolith (94-M65) Nov.-Dec. 1997	577
Hristova, R. —Study of corrosion inhibitor performance in chloride contaminated concrete by electrochemical impedance spectroscopy (94-M46) Sept.-Oct. 1997	385
Hu, C. —New rheometer for soft-to-fluid fresh concrete (94-M27) May-June 1997	234

I

Ikeda, K. —Bifurcation in compressive behavior of concrete (94-M55) Nov.-Dec. 1997	484
Impact-echo testing —Procedure for determining P-wave speed in concrete use in impact-echo testing using a P-wave speed measurement technique (94-M60) Nov.-Dec. 1997	531
Ishida, H. —Bifurcation in compressive behavior of concrete (94-M55) Nov.-Dec. 1997	484
Itabashi, H. —Study on allowable coating damage of epoxy-coated reinforcing bars (94-M31) July-Aug. 1997	267

Iwaki, I.—Study on allowable coating damage of epoxy-coated reinforcing bars (94-M31) July-Aug. 1997.....	267
---	-----

J

Janssen, D. J.—Soil physics principles validated for use in predicting unsaturated moisture movement in portland cement concrete (94-M8) Jan.-Feb. 1997.....	63
Johansen, V.—Packing of aggregates: An alternative tool to determine the optimal aggregate mix (94-M51) Sept.-Oct. 1997.....	435
Joint sealing—Fourth world congress on joint sealing and bearing systems for concrete structures—Symposium abstract, SP-164 (94-AB) Mar.-Apr. 1997.....	174
Joly, M.—New rheometer for soft-to-fluid fresh concrete (94-M27) May-June 1997.....	234

K

Kagawa, S.—Bifurcation in compressive behavior of concrete (94-M55) Nov.-Dec. 1997.....	484
Kalluri, P. A.—Influence of field variables on laboratory performance of silane-treated concrete (94-M22) May-June 1997.....	193
Kamel, A. A.—Influence of field variables on laboratory performance of silane-treated concrete (94-M22) May-June 1997.....	193
Kapila, D.—Thermal effects during the curing of concrete pavements (94-M14) Mar.-Apr. 1997.....	119
Khaloo, A. R.—Influence of concrete and fiber characteristics on behavior of steel fiber reinforced concrete under direct shear (94-M67) Nov.-Dec. 1997.....	592
Khan, A. A.—Creep, shrinkage, and thermal strains in normal, medium, and high-strength concretes during hydration (94-M19) Mar.-Apr. 1997.....	156
Khatiri, R. P.—Methods for the determination of water permeability of concrete (94-M30) May-June 1997.....	257
Khayat, K. H.—Effect of welan gum-high-range water reducer combinations on rheology of cement grout (94-M44) Sept.-Oct. 1997.....	365
—In situ mechanical properties of wall elements cast using self-consolidating concrete (94-M56) Nov.-Dec. 1997.....	491
—Use of blended silica fume cement in commercial concrete mixtures (94-M21) May-June 1997.....	183
—Use of viscosity-modifying admixture to enhance stability of fluid concrete (94-M40) July-Aug. 1997.....	332
Krstulovic-Oparna, N.—Micromechanical tensile behavior of slurry infiltrated continuous-fiber-mat reinforced concrete (SIMCON) (94-M45) Sept.-Oct. 1997.....	373
—Tensile behavior of slurry infiltrated mat concrete (SIMCON) (94-M5) Jan.-Feb. 1997.....	39
Kim, N.—Influence of concrete and fiber characteristics on behavior of steel fiber reinforced concrete under direct shear (94-M67) Nov.-Dec. 1997.....	592

L

Lachemi, M.—Influence of ambient and fresh concrete temperatures on the maximum temperature and thermal gradient in a high-performance concrete structure (94-M12) Mar.-Apr. 1997.....	102
—Mechanical properties and durability of two industrial reactive powder concretes (94-M33) July-Aug. 1997.....	286
Lan, S.—Experimental investigation of multiaxial compressive strength of concrete under different stress paths (94-M50) Sept.-Oct. 1997.....	427
Lancôt, M. C.—Use of blended silica fume cement in commercial concrete mixtures (94-M21) May-June 1997.....	183
Lee, S. L.—Prediction method for long-term chloride concentration profiles in hardened cement matrix materials (94-M64) Nov.-Dec. 1997.....	565
Lee, Y. H.—Mechanical properties of concrete in uniaxial compression (94-M52) Nov.-Dec. 1997.....	457
Lin, J. M.—Procedure for determining P-wave speed in concrete use in impact-echo testing using a P-wave speed measurement technique (94-M60) Nov.-Dec. 1997.....	531
Loughlin, K. F.—Determination of the effect chloride diffusion coefficient in concrete via a gas diffusion technique (94-M26) May-June 1997.....	227

Ludwig, H. M.—Freeze-thaw and freeze-deicing salt resistance of concretes containing cement rich in granulated blast furnace slag (94-M6) Jan.-Feb. 1997.....	47
---	----

M

Malak, S.—Micromechanical tensile behavior of slurry infiltrated continuous-fiber-mat reinforced concrete (SIMCON) (94-M45) Sept.-Oct. 1997.....	373
—Tensile behavior of slurry infiltrated mat concrete (SIMCON) (94-M5) Jan.-Feb. 1997.....	39
Manai, K.—In situ mechanical properties of wall elements cast using self-consolidating concrete (94-M56) Nov.-Dec. 1997.....	491
Mansur, M. A.—Effects of shape, size, and casting direction of specimens on stress-strain curves of high-strength concrete (94-M24) May-June 1997.....	209
Marchand, J.—Deicer salt scaling resistance of roller-compacted concrete pavements (94-M20) Mar.-Apr. 1997.....	164
Maruyama, K.—Bifurcation in compressive behavior of concrete (94-M55) Nov.-Dec. 1997.....	484
Massicotte, B.—Modeling the thermal stresses at early ages in a concrete monolith (94-M65) Nov.-Dec. 1997.....	577
Mathis, R.—Comparison of freezing and thawing durability of non-air entrained concrete pavers under ASTM C 67 and ASTM C 666 (94-M39) July-Aug. 1997.....	325
Meyer, C.—Low-cycle fatigue of plain and fiber-reinforced concrete (94-M32) July-Aug. 1997.....	273
Mitchell, D.—Creep, shrinkage, and thermal strains in normal, medium, and high-strength concretes during hydration (94-M19) Mar.-Apr. 1997.....	156
Miura, T.—Study on allowable coating damage of epoxy-coated reinforcing bars (94-M31) July-Aug. 1997.....	267
Mixing—Packing of aggregates: An alternative tool to determine the optimal aggregate mix (94-M51) Sept.-Oct. 1997.....	435
—Truck and central mixing mechanisms in Saudi Arabia: A critical evaluation (94-M1) Jan.-Feb. 1997.....	3
—Use of blended silica fume cement in commercial concrete mixtures (94-M21) May-June 1997.....	183
Monteiro, P. J. M.—Alkali-silica reaction, part I: Use of the double-layer theory to explain the behavior of reaction-product gels (94-M2) Jan.-Feb. 1997.....	10
—Bond strength of reinforcing bars in reinforced shotcrete (94-M13) Mar.-Apr. 1997.....	111
Mortar—Effect of crack control in mortars containing polypropylene fibers on the corrosion of steel in a cementitious matrix (94-M16) Mar.-Apr. 1997.....	134
—Heat cycling of epoxy mortar repaired beams (94-M15) Mar.-Apr. 1997.....	129

N

Naik, T. R.—Influence of fly ash on setting and hardening characteristics of concrete systems (94-M42) Sept.-Oct. 1997.....	355
Navaz, C. M.—Determination of the effect chloride diffusion coefficient in concrete via a gas diffusion technique (94-M26) May-June 1997.....	227
Nazarian, S.—Assessing quality of concrete with wave propagation techniques (94-M35) July-Aug. 1997.....	296
Neville, A. M.—Aggregate bond and modulus of elasticity of concrete (94-M9) Jan.-Feb. 1997.....	71

P

Palbol, L.—Packing of aggregates: An alternative tool to determine the optimal aggregate mix (94-M51) Sept.-Oct. 1997.....	435
Paskova, T.—Low-cycle fatigue of plain and fiber-reinforced concrete (94-M32) July-Aug. 1997.....	273
Penttilä, V.—Concrete and sustainable development (94-M48) Sept.-Oct. 1997.....	409
Pigeon, M.—Deicer salt scaling resistance of roller-compacted concrete pavements (94-M20) Mar.-Apr. 1997.....	164
Plawsky, J. L.—Thermal effects during the curing of concrete pavements (94-M14) Mar.-Apr. 1997.....	119

Porosity —Soil physics principles validated for use in predicting unsaturated moisture movement in portland cement concrete (94-M8) Jan.-Feb. 1997	63
Post-tensioning —Cement grout containing precipitated silica and superplasticizers for post-tensioning (94-M34) July-Aug. 1997	291
Prat, E. —Cement grout containing precipitated silica and superplasticizers for post-tensioning (94-M34) July-Aug. 1997	291
Prestressing —Use of composite testing for evaluation of keyway grout for precast prestressed bridge beams (94-M28) May-June 1997	244
Prezzi, M. —Alkali-silica reaction, part I: Use of the double-layer theory to explain the behavior of reaction-product gels (94-M2) Jan.-Feb. 1997	10
Properties and uses of polymers in concrete —Symposium abstract, SP-166 (94-AB) Mar.-Apr. 1997	176
Protected paste —Volume fraction of protected paste and mean spacing of air voids (94-M66) Nov.-Dec. 1997	588
Pullout —Predicting the flexural postcracking performance of steel fiber reinforced concrete from the pullout of single fibers (94-M3) Jan.-Feb. 1997	18
Pye, G. B. —Proprietary and carbon fiber modified overlays in the cathodic protection of reinforced concrete (94-M36) July-Aug. 1997	306

R

Raupach, M. —Laboratory studies and calculations on the influence of crack width on chloride-induced corrosion of steel in concrete (94-M7) Jan.-Feb. 1997	56
Reaction-product gels —Alkali-silica reaction, part I: Use of the double-layer theory to explain the behavior of reaction-product gels (94-M2) Jan.-Feb. 1997	10
Repair and strengthening of concrete members with adhesive bonded plates —Symposium abstract, SP-165 (94-AB) Mar.-Apr. 1997	175
Repairs —Heat cycling of epoxy mortar repaired beams (94-M15) Mar.-Apr. 1997	129
Resistance —Freeze-thaw and freeze-deicing salt resistance of concretes containing cement rich in granulated blast furnace slag (94-M6) Jan.-Feb. 1997	47
Rheology —Effect of gypsum-hemihydrate ratio in cement on rheological properties of fresh concrete (94-M17) Mar.-Apr. 1997	142
—Effect of welan gum-high-range water reducer combinations on rheology of cement grout (94-M44) Sept.-Oct. 1997	365
—New rheometer for soft-to-fluid fresh concrete (94-M27) May-June 1997	234
Rigden, S. R. —Heat cycling of epoxy mortar repaired beams (94-M15) Mar.-Apr. 1997	129
Rossi, P. —Can steel fibers replace transverse reinforcements in reinforced concrete beams? (94-M41) Sept.-Oct. 1997	341
—High performance multimodal fiber reinforced cement composites (HPMFRCC): The LCPC experience (94-M54) Nov.-Dec. 1997	478

S

Salloukh, K. A. —Effect of fibers on development/splice strength of reinforcing bars in tension (94-M38) July-Aug. 1997	317
Sami, Z. —Detection of sub-surface anomalies in concrete bridge decks using ground penetrating radar (94-M47) Sept.-Oct. 1997	396
Sanjuan, M. A. —Effect of crack control in mortars containing polypropylene fibers on the corrosion of steel in a cementitious matrix (94-M16) Mar.-Apr. 1997	134
Sansalone, M. —Procedure for determining P-wave speed in concrete use in impact-echo testing using a P-wave speed measurement technique (94-M60) Nov.-Dec. 1997	531
Savage, B. M. —Soil physics principles validated for use in predicting unsaturated moisture movement in portland cement concrete (94-M8) Jan.-Feb. 1997	63
Scaling resistance —Deicer salt scaling resistance of roller-compacted concrete pavements (94-M20) Mar.-Apr. 1997	164
—Scaling resistance of concrete paving block surface exposed to deicing chemicals (94-M4) Jan.-Feb. 1997	32

Schaller, I. —Can steel fibers replace transverse reinforcements in reinforced concrete beams? (94-M41) Sept.-Oct. 1997	341
Schiefl, P. —Laboratory studies and calculations on the influence of crack width on chloride-induced corrosion of steel in concrete (94-M7) Jan.-Feb. 1997	56
Sedran, T. —New rheometer for soft-to-fluid fresh concrete (94-M27) May-June 1997	234
Serviceability —Concreting workmanship and its influence on serviceability reliability (94-M57) Nov.-Dec. 1997	501
Setting —Influence of fly ash on setting and hardening characteristics of concrete systems (94-M42) Sept.-Oct. 1997	355
Shah, S. P. —Mechanical properties of PVA fiber reinforced cement composites fabricated by extrusion processing (94-M63) Nov.-Dec. 1997	555
Shao, Y. —Mechanical properties of PVA fiber reinforced cement composites fabricated by extrusion processing (94-M63) Nov.-Dec. 1997	555
Sharif, A. —Determination of the effect chloride diffusion coefficient in concrete via a gas diffusion technique (94-M26) May-June 1997	227
Shear —Influence of concrete and fiber characteristics on behavior of steel fiber reinforced concrete under direct shear (94-M67) Nov.-Dec. 1997	592
Shield, C. K. —Acoustic emission monitoring as a nondestructive testing technique in reinforced concrete (94-M58) Nov.-Dec. 1997	510
Shotcrete —Bond strength of reinforcing bars in reinforced shotcrete (94-M13) Mar.-Apr. 1997	111
Shrinkage —Creep, shrinkage, and thermal strains in normal, medium, and high-strength concretes during hydration (94-M19) Mar.-Apr. 1997	156
Shrinkage cracking of high-strength concrete (93-M46) —Wiegink, K., Marikunte, S., and Shah, S. P., V. 93 Sept.-Oct. 1996, p. 409	341
—Disc. July-Aug. 1997	444
—Disc. by Emmanuel K. Attigboe Sept.-Oct. 1997	3
Siddiqi, G. H. —Truck and central mixing mechanisms in Saudi Arabia: A critical evaluation (94-M1) Jan.-Feb. 1997	3
Silica fume —Microstructural and mechanical effects of latex, methyl-cellulose, and silica fume on carbon fiber reinforced cement (94-M18) Mar.-Apr. 1997	147
—Use of blended silica fume cement in commercial concrete mixtures (94-M21) May-June 1997	183
Simple method for determining material fracture parameters from peak loads (93-M17) —Tianxi Tang, Chengsheng Ouyang, and Surendra P. Shah V. 93 Mar.-Apr. 1996, p. 47	75
—Disc. by Zdenek P. Bazant Jan.-Feb. 1997	355
Singh, S. S. —Influence of fly ash on setting and hardening characteristics of concrete systems (94-M42) Sept.-Oct. 1997	257
Sirivivatnanon, V. —Methods for the determination of water permeability of concrete (94-M30) May-June 1997	47
Slags —Freeze-thaw and freeze-deicing salt resistance of concretes containing cement rich in granulated blast furnace slag (94-M6) Jan.-Feb. 1997	63
Soils —Soil physics principles validated for use in predicting unsaturated moisture movement in portland cement concrete (94-M8) Jan.-Feb. 1997	10
Sposito, G. —The alkali-silica reaction, part I: Use of the double-layer theory to explain the behavior of reaction-product gels (94-M2) Jan.-Feb. 1997	47
Stark, J. —Freeze-thaw and freeze-deicing salt resistance of concretes containing cement rich in granulated blast furnace slag (94-M6) Jan.-Feb. 1997	134
Steel —Effect of crack control in mortars containing polypropylene fibers on the corrosion of steel in a cementitious matrix (94-M16) Mar.-Apr. 1997	501
Stewart, M. G. —Concreting workmanship and its influence on serviceability reliability (94-M57) Nov.-Dec. 1997	156
Strains —Thermal—Creep, shrinkage, and thermal strains in normal, medium, and high-strength concretes during hydration (94-M19) Mar.-Apr. 1997	531
Streit, W. B. —Procedure for determining P-wave speed in concrete use in impact-echo testing using a P-wave speed measurement technique (94-M60) Nov.-Dec. 1997	520
Strength —Concrete strength estimation at early ages: Modification of the method of equivalent age (94-M59) Nov.-Dec. 1997	

Strength—Compressive

- Experimental investigation of multiaxial compressive strength of concrete under different stress paths (94-M50) Sept.-Oct. 1997 427
- Influence of aggregate on the compressive strength of normal and high-strength concrete (94-M49) Sept.-Oct. 1997 417
- Mechanical properties of concrete in uniaxial compression (94-M52) Nov.-Dec. 1997 457
- Sensitivity of compressive strength of HSC to hot-dry climate, curing regimes, and additives (94-M53) Nov.-Dec. 1997 472
- Temperature dependence of compressive strength of conversion-inhibited high alumina cement concrete (94-M61) Nov.-Dec. 1997 540

Stress

- Effects of shape, size, and casting direction of specimens on stress-strain curves of high-strength concrete (94-M24) May-June 1997 209
- Experimental investigation of multiaxial compressive strength of concrete under different stress paths (94-M50) Sept.-Oct. 1997 427

- Stresses—Thermal**—Modeling the thermal stresses at early ages in a concrete monolith (94-M65) Nov.-Dec. 1997 577

Stress-strain relationship of confined and unconfined concrete (93-M49)

- Attard, M. M. and Setunge, S. V. 93 Sept.-Oct. 1996, p. 432
- Disc. By Ergin Arilu Sept.-Oct. 1997 445

- Swaddiwudhipong, S.**—Prediction method for long-term chloride concentration profiles in hardened cement matrix materials (94-M64) Nov.-Dec. 1997 565

- Szilkar, J. C.**—New rheometer for soft-to-fluid fresh concrete (94-M27) May-June 1997 234

T

- Tabsh, S. W.**—Statistics of high-strength concrete cylinders (94-M43) Sept.-Oct. 1997 361

- Tahn, R.**—Use of reclaimed asphalt pavement as an aggregate in portland cement concrete (94-M29) May-June 1997 251

Temperature

- Creep, shrinkage, and thermal strains in normal, medium, and high-strength concretes during hydration (94-M19) Mar.-Apr. 1997 156
- Effect of confinement on siliceous aggregate concrete subjected to elevated temperature and cyclic heating (94-M10) Mar.-Apr. 1997 83
- Influence of ambient and fresh concrete temperatures on the maximum temperature and thermal gradient in a high-performance concrete structure (94-M12) Mar.-Apr. 1997 102
- Temperature dependence of compressive strength of conversion-inhibited high alumina cement concrete (94-M61) Nov.-Dec. 1997 540

Tensile behavior

- Micromechanical tensile behavior of slurry infiltrated continuous-fiber-mat reinforced concrete (SIMCON) (94-M45) Sept.-Oct. 1997 373
- Tensile behavior of slurry infiltrated mat concrete (SIMCON) (94-M5) Jan.-Feb. 1997 39

Tensile behavior of slurry infiltrated mat concrete (94-M5)

- Krstulovic-Oparka, N. and Malak, S. V. 94 Jan.-Feb. 1997, p. 39
- Disc. by Ajiboye F. Oluokun Nov.-Dec. 1997 611

- Tension**—Effect of fibers on development/splice strength of reinforcing bars in tension (94-M38) July-Aug. 1997 317

- Terro, M. J.**—Effect of confinement on siliceous aggregate concrete subjected to elevated temperature and cyclic heating (94-M10) Mar.-Apr. 1997 83

Tests

- Acoustic emission monitoring as a nondestructive testing technique in reinforced concrete (94-M58) Nov.-Dec. 1997 510
- Assessing quality of concrete with wave propagation techniques (94-M35) July-Aug. 1997 296

- Concrete attack by feed acids: Accelerated tests to compare different concrete compositions and technologies (94-M62) Nov.-Dec. 1997 546

- Procedure for determining P-wave speed in concrete use in impact-echo testing using a P-wave speed measurement technique (94-M60) Nov.-Dec. 1997 531

Testing the bond between repair materials and concrete substrate (93-M63)

- Abu-Tair, A. I., Rigden, S. R., and Burley, E. V. 93 Nov.-Dec. 1996, p. 553
- Disc. by D. Gerry Walters Sept.-Oct. 1997 447

- Thermal effects**—Thermal effects during the curing of concrete pavements (94-M14) Mar.-Apr. 1997 119

Truck and central mixing mechanisms in Saudi Arabia: A critical evaluation (94-M1)

- Arafah, A., Abu-Zaid, M., and Siddiqi, G. H. V. 94 Jan.-Feb. 1997, p. 3
- Disc. by John Pattison, Alex Leshchinsky, and Graeme Stark Nov.-Dec. 1997 611

- Trudel, A.**—In situ mechanical properties of wall elements cast using self-consolidating concrete (94-M56) Nov.-Dec. 1997 491

U

- Uniaxial compression**—Mechanical properties of concrete in uniaxial compression (94-M52) Nov.-Dec. 1997 457

V

- Vaachon, M.**—Use of blended silica fume cement in commercial concrete mixtures (94-M21) May-June 1997 183

- Van Nieuwenburg, D.**—Concrete attack by feed acids: Accelerated tests to compare different concrete compositions and technologies (94-M62) Nov.-Dec. 1997/546

W

- Wall elements**—In situ mechanical properties of wall elements cast using self-consolidating concrete (94-M56) Nov.-Dec. 1997 491

- Walls**—In situ mechanical properties of wall elements cast using self-consolidating concrete (94-M56) Nov.-Dec. 1997 491

- Wason, R.**—Experimental service life prediction of rebar-corroded reinforced concrete structure (94-M37) July-Aug. 1997 311

Wee, T. H.

- Effects of shape, size, and casting direction of specimens on stress-strain curves of high-strength concrete (94-M24) May-June 1997 209
- Prediction method for long-term chloride concentration profiles in hardened cement matrix materials (94-M64) Nov.-Dec. 1997 565

- William, K.**—Mechanical properties of concrete in uniaxial compression (94-M52) Nov.-Dec. 1997 457

- Wong, S. F.**—Prediction method for long-term chloride concentration profiles in hardened cement matrix materials (94-M64) Nov.-Dec. 1997 565

Y

- Yahia, A.**—Effect of welan gum-high-range water reducer combinations on rheology of cement grout (94-M44) Sept.-Oct. 1997 365

7